



50HBL7310

50HBL7310

43

50

55

- > Hitachi Hospitality TV (CMS)
- > Built in STB
- > IPTV or RFTV Compatible
- > Data Privacy
- > Remote Commands
- > Quick Installation

DISPLAY

Screen Size	50" / 126cm
Panel Type	D-LED

VIDEO

HD/FHD/UHD	UHD
Resolution	3840x2160
Aspect Ratio	16:9, 14:9, 4:3, Cinema
Digital Noise Reduction	Yes
Brightness (cd/m2)	350
Viewing Angle	178º (H) - 178º (V)
Tuning Systems	PAL/SECAM - DVB-T2/C/S2
IP Channel Tuning	Multicast - Unicast
Progressive Scan	Yes

MECHANICS

Dimensions without Stand (mm)	1120x82x647
Loading Qty - 20feet	198
Loading Qty - 40feet	423
Loading Qty - High Cube	423
VESA Compatible	M6 200x200

ACCESSORIES

Multi IR Remote Controller	Yes
Power Cable (compatible with country standards)	Yes
Stand	Mid Swivel stand
Stand Mount Kit	Yes
Screws	Yes

AUDIO

Invisible Speaker	Yes
Subwoofer	Not Available
Bathroom Speaker	Yes
Sound Type	DTS HD + DTS TruSurround
Dolby Audio Processing (DAP)	Yes
Audio Output	2X10W RMS (%10 THD)
Equalizer (5 Band)	Yes
Carrier Mute	Yes
Auto Volume Lever (AVL)	Yes

INTERFACES

RF IN	Yes
PC IN (VGA)	Yes
YPBPR IN VIA VGA	Yes
SCART	Not Available
HDMI	3 HDMI
USB	2 USB
CI+	Yes
WiFi	Yes
Bluetooth	Yes

HOSPITALITY STANDARD FEATURES

Hitachi Hospitality CMS Solution IP HotelTV system	Optional
Hitachi Hospitality CMS Solution Coax HotelTV system	Optional
Hitachi Hospitality CMS Solution Basic HotelTV system	Yes
DVB-S/S2/C/T/T2	Yes
Power Save mode (Energy Saving)	Yes
Wireless Display	Miracast - Intel WiDi
Smart TV features	If Internet Available
Smart Portal	If Internet Available
DRM Options	PlayReady, Widevine, Marlin
Firmware Upgrade	via USB - via Network
Electronic Program Guide	Now + Next EPG
Prison Mode	Yes
Hospital Mode	Yes
Open Browser	Not Available
Proxy Support	Yes
Hospitality Configurations (Up to 20 features)	Yes
Auto Data Erase	Yes
Enable/Disable Installation Menus	Yes
Welcome Logo (Image while Opening TV)	Yes
Bootlogo (Image while Cold Restart)	Yes
USB Media Player	Yes
Anti Theft Battery System	Yes
USB Cloning	Yes
Multi IR (RC Mapping)	Yes
RJ12 / IR Pass Through	Yes
Auto TV Off/Auto Sleep	Yes

HOSPITALITY ENHANCED FEATURES

Advanced Features (Hitachi Hospitality CMS Solution HotelTV)	Hitachi Hospitality CMS Solution (IP & Coax)
Built-In Solution (No extra RC, STB)	Hitachi Hospitality CMS Solution (IP & Coax)
Soft AP Feature	Hitachi Hospitality CMS Solution (IP & Coax)
Centralized Management Server (CMS)	Hitachi Hospitality CMS Solution (IP & Coax)
Language Support (Up to 26 Languages)	Hitachi Hospitality CMS Solution (IP & Coax)
Quick Installation Tools (Room Registering)	Hitachi Hospitality CMS Solution (IP & Coax)
Hospitality UI (Customized HomePage)	Hitachi Hospitality CMS Solution (IP & Coax)
Intro-Promotional Hotel Video	Hitachi Hospitality CMS Solution (IP & Coax)
Video On Demand	Hitachi Hospitality CMS Solution (IP & Coax)
Property Management System (PMS)	Hitachi Hospitality CMS Solution (IP & Coax)
Welcome Message	Hitachi Hospitality CMS Solution (IP & Coax)
Mixed Channel List (DVB-T2/C/S2, IP, Analog)	Hitachi Hospitality CMS Solution (IP & Coax)
Flexible Channel Editor	Hitachi Hospitality CMS Solution (IP & Coax)
Channel Sorting for Guest Nationality	Hitachi Hospitality CMS Solution (IP & Coax)
Sending Messages (Text & Multimedia)	Hitachi Hospitality CMS Solution (IP & Coax)
Information Services (Up to 15 features)	Hitachi Hospitality CMS Solution (IP & Coax)
Program Sorting	Hitachi Hospitality CMS Solution (IP & Coax)
Customizable SmartTV Apps	Hitachi Hospitality CMS Solution (IP & Coax)
Wake-up Alarm/Sleep Timer	Hitachi Hospitality CMS Solution (IP & Coax)
Advertisement Options Banner & Logo & Image	Hitachi Hospitality CMS Solution (IP & Coax)
Maps Interaction & Nearby Services & Taxi	Hitachi Hospitality CMS Solution (IP & Coax)
Two-way Communication (Feedback Mechanism)	Hitachi Hospitality CMS Solution IP Only
IPTV & OTT Channel Tuning	Hitachi Hospitality CMS Solution IP Only
Room Service Ordering	Hitachi Hospitality CMS Solution IP Only
Instantaneous Response from TV	Hitachi Hospitality CMS Solution IP Only
Gathering Statistics	Hitachi Hospitality CMS Solution IP Only